



## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	467	(544/326).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:27
L2	1573	(514/275).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:29
L3	19	Lisa.inv. and Chang.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:32
L4	0	Adrian.inv. and Ijzeman.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:30
L5	0	Adrian.inv. and Ijzeman.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:30
L6	0	Adrian.inv. and Ijzeman.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:31
L7	0	Adrian.inv. and Ijzerman.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:31
L8	1	Adrian.inv. and Ijzerman.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:31
L9	18	Johannes.inv. and Brussee.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2007/09/29 19:32



chain nodes :

7 8 10 11

ring nodes :

1 2 3 4 5 6

chain bonds :

2-11 4-10 5-8 6-7

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6

exact/norm bonds :

2-11 4-10 6-7

exact bonds :

5-8

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

isolated ring systems :

containing 1 :

G1:H,Cb,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS  
10:CLASS 11:CLASS

11/574,436

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 02	LMEDLINE coverage updated
NEWS	3	JUL 02	SCISEARCH enhanced with complete author names
NEWS	4	JUL 02	CHEMCATS accession numbers revised
NEWS	5	JUL 02	CA/Capplus enhanced with utility model patents from China
NEWS	6	JUL 16	CAplus enhanced with French and German abstracts
NEWS	7	JUL 18	CA/Capplus patent coverage enhanced
NEWS	8	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS	9	JUL 30	USGENE now available on STN
NEWS	10	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS	11	AUG 06	BEILSTEIN updated with new compounds
NEWS	12	AUG 06	FSTA enhanced with new thesaurus edition
NEWS	13	AUG 13	CA/Capplus enhanced with additional kind codes for granted patents
NEWS	14	AUG 20	CA/Capplus enhanced with CAS indexing in pre-1907 records
NEWS	15	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS	16	AUG 27	USPATOLD now available on STN
NEWS	17	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS	18	SEP 07	STN AnaVist, Version 2.0, now available with Derwent World Patents Index
NEWS	19	SEP 13	FORIS renamed to SOFIS
NEWS	20	SEP 13	INPADOCDB enhanced with monthly SDI frequency
NEWS	21	SEP 17	CA/Capplus enhanced with printed CA page images from 1967-1998
NEWS	22	SEP 17	CAplus coverage extended to include traditional medicine patents
NEWS	23	SEP 24	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS EXPRESS	19	SEPTEMBER 2007:	CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

11/574,436

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 19:20:47 ON 29 SEP 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 19:20:58 ON 29 SEP 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 28 SEP 2007 HIGHEST RN 948877-55-2

DICTIONARY FILE UPDATES: 28 SEP 2007 HIGHEST RN 948877-55-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.



REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10574436.str

11/574,436



```
chain nodes :
7 8 10 11
ring nodes :
1 2 3 4 5 6
chain bonds :
2-11 4-10 5-8 6-7
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6
exact/norm bonds :
2-11 4-10 6-7
exact bonds :
5-8
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :
```

G1:H,Cb,Ak


```
Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 10:CLASS
11:CLASS
```

L1 STRUCTURE UPLOADED

=> d 11

11/574,436

L1 HAS NO ANSWERS  
L1 STR



G1 H, Cb, Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam  
SAMPLE SEARCH INITIATED 19:21:20 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 29021 TO ITERATE

6.9% PROCESSED 2000 ITERATIONS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

40 ANSWERS


FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 570231 TO 590609  
PROJECTED ANSWERS: 10163 TO 13053

L2 40 SEA SSS SAM L1

=> d scan

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Pyrimidinamine, 6-(2-methoxyphenyl)-N-(2,2,6,6-tetramethyl-4-  
piperidiny)-  
MF C20 H28 N4 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):39

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Benzenesulfonamide, N-(2,6-dimethyl-4-pyrimidinyl)-4-[[3-[[4-[[2,6-dimethyl-4-pyrimidinyl)amino]sulfonyl]phenyl]amino]-4-oxo-1(4H)-naphthalenylidene]amino]-, disodium salt (9CI)

MF C34 H30 N8 O5 S2 . 2 Na



● 2 Na




11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Hydrazinecarboxylic acid, 2-(2-cyano-4-pyrimidinyl)-2-(2-methylpropyl)-,  
4-fluorophenyl ester


MF C16 H16 F N5 O2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzenesulfonamide, N-(2,6-dimethyl-4-pyrimidinyl)-4-[[ (3-  
pyridinylamino)thioxomethyl]amino]- (9CI)  
MF C18 H18 N6 O2 S2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Pyrimidine, 4-hydrazinyl-6-(2-methoxyphenyl)-  
MF C11 H12 N4 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Pyrimidinamine, 2-[1,1'-biphenyl]-4-yl-N-dodecyl-6-methyl- (9CI)  
MF C29 H39 N3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid,  
3-[[[1-(2-aminoethyl)-1H-tetrazol-5-yl]thio]methyl]-7-[[4-amino-2-  
pyrimidinyl] (methoxyimino)acetyl]amino]-8-oxo-, [6R-[6 $\alpha$ ,7 $\beta$ (Z)]]-  
(9CI)  
MF C18 H21 N11 O5 S2


Absolute stereochemistry.  
Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, 2-[(2,5-dimethylphenyl)thio]-N-[4-[(2,6-dimethyl-4-  
pyrimidinyl)amino]sulfonyl]phenyl]-  
MF C22 H24 N4 O3 S2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Thiazolium, 3-[(6-amino-2-methyl-4-pyrimidinyl)methyl]-2-[[4-[[[6-[2-(hydroxyiminomethyl)hydrazino]-6-oxohexyl]amino]carbonyl]phenyl]azo]-4-methyl-5-(4,6,6-trihydroxy-4,6-dioxido-3,5-dioxa-4,6-diphosphahex-1-yl)-(9CI)

MF C26 H37 N10 O10 P2 S

CI COM

PAGE 1-A




PAGE 1-B

—OPO<sub>3</sub>H<sub>2</sub>


11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 2-Propenoic acid, 2-methyl-, 2-[butyl[4-[[4-[[[2,6-dimethyl-4-pyrimidinyl)amino]sulfonyl]phenyl]azo]phenyl]amino]ethyl ester, polymer with 2-(butylphenylamino)ethyl 2-methyl-2-propenoate, ethyl 2-methyl-2-propenoate and 2-hydroxyethyl 2-methyl-2-propenoate (9CI)  
MF (C28 H34 N6 O4 S . C16 H23 N O2 . C6 H10 O3 . C6 H10 O2)x  
CI PMS


CM 1




CM 2



CM 3



CM 4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*



11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzaldehyde, 3,5-dichloro-2-hydroxy-, [2-(4-bromophenyl)-6-phenyl-4-  
pyrimidinyl]hydrazone (9CI)  
MF C23 H15 Br Cl2 N4 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Pyrimidinamine, N-(2,3-dihydro-1,4-benzodioxin-6-yl)-6-[4-(trifluoromethyl)phenyl]-  
MF C19 H14 F3 N3 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1H-Indene-1-acetic acid, 5-[3-[[2-(4-ethylphenyl)-4-  
pyrimidinyl]propylamino]propoxy]-2,3-dihydro-, (1S)-  
MF C29 H35 N3 O3


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzenesulfonamide, 4-cyano-N-[4-[[6-(3-methoxyphenyl)-4-  
pyrimidinyl]amino]phenyl]-  
MF C24 H19 N5 O3 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzenesulfonamide, N-(2,6-dimethyl-4-pyrimidinyl)-4-[(tetrahydro-1,3-  
dimethyl-2,4,6-trioxo-5(2H)-pyrimidinylidene)hydrazino]- (9CI)  
MF C18 H19 N7 O5 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN Benamide, 3-[[4-chloro-1-(2,4-dimethoxyphenyl)-2,5-dihydro-2,5-dioxo-1H-pyrrol-3-yl]amino]-N-[4-[[2,6-dimethyl-4-pyrimidinyl]amino]sulfonyl]phenyl-1]-4-methyl-


MF C32 H29 Cl N6 O7 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzamide, 4-[(6-bromo-2-naphthalenyl)sulfonyl]-N-[2-(4-  
pyrimidinylamino)ethyl]- (9CI)  
MF C23 H19 Br N4 O3 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1H-Inden-2-ol, 4-[[6-[2-[(cyclopropylmethyl)amino]-4-(trifluoromethyl)phenyl]-4-pyrimidinyl]amino]-2,3-dihydro-2-methyl-  
MF C25 H25 F3 N4 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN


IN 1,2-Ethanediamine, N'-[2-(4-bromophenyl)-6-ethyl-4-pyrimidinyl]-N,N-dimethyl-, ethanedioate (1:1) (9CI)

MF C16 H21 Br N4 . C2 H2 O4

CM 1




CM 2



11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Pyrimidinamine, 6-[2-(5-nitro-2-thienyl)ethenyl]- (9CI)  
MF C10 H8 N4 O2 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1,2-Propanediol, 3-[[2-(4-bromo-3-fluorophenyl)-6-methyl-4-pyrimidinyl]amino]-, (2S)-, ethanedioate (1:1) (salt) (9CI)  
MF C14 H15 Br F N3 O2 . C2 H2 O4

CM 1

Absolute stereochemistry.




CM 2



11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Pyrimidine, 4-acetamido-6-(p-chlorophenyl)-2-methyl- (7CI)  
MF C13 H12 Cl N3 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Phenol, 2-[4-(dimethylamino)-6-methyl-2-pyrimidinyl]- (9CI)  
MF C13 H15 N3 O




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1-Piperazinepentanoic acid,  $\gamma$ -[[[6-(dimethylamino)-2-phenyl-4-pyrimidinyl]carbonyl]amino]-4-(ethoxycarbonyl)- $\delta$ -oxo-, ( $\gamma$ S)-  
MF C25 H32 N6 O6  
CI COM


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butanoic acid, 4-[[4-[[ (2,6-dimethyl-4-pyrimidinyl)amino]sulfonyl]phenyl]a  
mino]-4-oxo- (9CI)  
MF C16 H18 N4 O5 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Butanoic acid, 4-[[4-[[2,6-dimethyl-4-pyrimidinyl)amino]sulfonyl]phenyl]a  
mino]-4-oxo- (9CI)  
MF C16 H18 N4 O5 S




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*



11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzoic acid, 2-[[6-methyl-2-[3-(trifluoromethyl)phenyl]-4-  
pyrimidinyl]amino]-, methyl ester (9CI)  
MF C20 H16 F3 N3 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1H-Pyrazolo[4,3-d]pyrimidin-7-amine, 5-[(2R,5S)-2,5-dimethyl-1-  
piperazinyl]-1-(2-ethoxyethyl)-3-ethyl-N-4-pyrimidinyl-  
MF C21 H31 N9 O


Absolute stereochemistry.



ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4(1H)-Pyrimidinone, 2,6-diphenyl-, O-benzoyloxime (9CI)  
MF C23 H17 N3 O2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Pyrimidinebutanamide, 6-[(1-cyclohexen-1-ylmethyl)amino]-N-hydroxy-  
γ-oxo-  
MF C15 H20 N4 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 2-Naphthalenesulfonic acid, 8-(dibutylamino)-4-hydroxy-5-(4-  
pyrimidinylazo)- (9CI)  
MF C22 H27 N5 O4 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Carbamic acid, N-[2-[4-[[6-(1-naphthalenyl)-4-  
pyrimidinyl]amino]phenyl]ethyl]-, 1,1-dimethylethyl ester  
MF C27 H28 N4 O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN

IN 2-Propenamide, N-[4-[[2,6-dimethyl-4-pyrimidinyl)amino]sulfonyl]phenyl]-3-(5-methyl-2-furanyl)- (9CI)


MF C20 H20 N4 O4 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Methanesulfonamide, N-[3-[6-(dipropylamino)-4-pyrimidinyl]phenyl]-,  
monohydrochloride (9CI)  
MF C17 H24 N4 O2 S . Cl H




● HCl



11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 4-Pyrimidinamine, N-[4-(2-benzoxazolyl)phenyl]-6-(2-methoxyphenyl)-  
MF C24 H18 N4 O2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Pyrimidine, 4,4'-azoxybis[2,6-diphenyl- (9CI)  
MF C32 H22 N6 O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN 1H-Indazol-5-amine, N-[6-[4-[(dimethylamino)methyl]-3-fluorophenyl]-4-  
pyrimidinyl]-  
MF C20 H19 F N6



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Acetamide, 2-(2,4-dichlorophenoxy)-N-[4-[[2,6-dimethyl-4-  
pyrimidinyl)amino]sulfonyl]phenyl]- (9CI)  
MF C20 H18 Cl2 N4 O4 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzoic acid, 4-[(6-methyl-4-pyrimidinyl)amino]-  
MF C12 H11 N3 O2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436


L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzamide, N-[4-[[ (2,6-dimethyl-4-pyrimidinyl)amino]sulfonyl]phenyl]-3,5-  
dimethyl- (9CI)  
MF C21 H22 N4 O3 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

11/574,436

L2 40 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN  
IN Benzenesulfonamide, N-(2,6-dimethyl-4-pyrimidinyl)-4-[[1-(4-methoxybenzoyl)-2-oxopropyl]azo]- (9CI)  
MF C23 H23 N5 O5 S



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

11/574,436

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.90

1.11

STN INTERNATIONAL LOGOFF AT 19:22:02 ON 29 SEP 2007